

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claim 1 (Previously Presented): A resin composition consisting essentially of 5-50 parts by weight of a potassium ionomer (A) of an ethylene-unsaturated carboxylic acid copolymer comprising a potassium ionomer of two or more types of ethylene-unsaturated carboxylic acid copolymers which has an average acid content of 10 to 30 % by weight, has difference in acid contents between the highest content and the lowest content of 1 % by weight or more, and has a neutralization degree by potassium of 60 % or more, 0.5 to 20 parts by weight of an ethylene-unsaturated ester copolymer (B) consisting of ethylene groups and unsaturated ester groups, wherein the unsaturated ester in the ethylene-unsaturated ester copolymer is a vinyl ester selected from the group consisting of vinyl acetate and vinyl propionate; or an unsaturated carboxylic acid ester selected from the group consisting of methyl acrylate, ethyl acrylate, isopropyl acrylate, isobutyl acrylate, n-butyl acrylate, isooctyl acrylate, 2-ethylhexyl acrylate, methyl methacrylate, ethyl methacrylate and isobutyl methacrylate, and 94.5 to 30 parts by weight of a thermoplastic resin (C) other than (A) and (B), wherein the thermoplastic resin (C) is at least one resin selected from the group consisting of medium density polyethylene, high density polyethylene, polypropylene, poly-4-methyl-1-pentene and a combination thereof.

Claims 2 to 10 (Canceled)

Claim 11 (Previously Presented): A single layer article comprises the resin composition described in claim 1.

Claim 12 (Canceled)

Claim 13 (Previously Presented): A multi-layer article having two or more layers, wherein at least one layer comprises resin composition described in claim 1.

Claim 14 (Previously Presented): The multi-layer article according to claim 13, wherein the multi-layer article has a layer comprising a thermoplastic resin (D).

Claim 15 (Previously Presented): The multi-layer article according to claim 14, wherein the thermoplastic resin (D) is an olefin polymer.

Claims 16-18 (Canceled)

Claim 19 (Previously Presented): The single layer article described in claim 11 is a film, sheet, bag or blow molded container.

Claim 20 (Canceled)

Claim 21 (Previously Presented): The multi-layer article described in claim 13 is a film, sheet, bag or blow molded container.

Claim 22 (Previously Presented): The multi-layer article described in claim 14 is a film, sheet, bag or blow molded container.

Claim 23-24 (Canceled)

Claim 25 (New): A resin composition consisting essentially of 5-50 parts by weight of a potassium ionomer (A) of an ethylene-unsaturated carboxylic acid copolymer comprising a potassium ionomer of two or more types of ethylene-unsaturated carboxylic acid copolymers which has an average acid content of 10 to 30 % by weight, has difference in acid contents between the highest content and the lowest content of 1 % by weight or more, and has a neutralization degree by potassium of 60 % or more, 0.5 to 20 parts by weight of an ethylene-unsaturated ester copolymer (B) consisting of ethylene groups and unsaturated ester groups, wherein a content of the unsaturated ester groups in the ethylene-unsaturated ester copolymer is 10 to 35% by weight, and wherein the unsaturated ester in the ethylene-unsaturated ester copolymer is an unsaturated carboxylic acid ester selected from the group consisting of acrylic acid esters and methylacrylic acid esters, and 94.5 to 30 parts by weight of a thermoplastic resin (C) other than (A) and (B), wherein the thermoplastic resin (C) is at least one resin selected from the group consisting of medium density polyethylene, high density polyethylene, polypropylene, poly-4-methyl-1-pentene and a combination thereof.